

TRAILER TIRES

HIGH SPEED BIAS TRAILER TIRES

KENDA



Part #	Size	Load Range	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
4808B	4.80-8	B	16.7	4.6	3.75	60	590
4808C	4.80-8	C	16.7	4.6	3.75	90	745
5708B	5.70-8	B	18.6	5.6	3.75	50	715
5708C	5.70-8	C	18.6	5.6	3.75	75	910
5708D	5.70-8	D	18.6	5.6	3.75	100	1075
4812C	4.80-12	C	21.3	5.2	4.00	90	990
5312C	5.30-12	C	22.1	5.3	4.00	80	1045
5312D	5.30-12	D	22.1	5.3	4.00	105	1250
6909C	6.00-9	C	20.9	6.4	5.00	60	1120
1658C (165/65-8)	16.5x6.50-8	C	16.7	6.5	5.38	70	795
1858C (215/60-8)	18.5x8.50-8	C	18.2	8.4	7.00	50	940
2010C (205/65-10)	20.5x8.00-10	C	20.4	8.0	6.00	50	1105
2010E (205/65-10)	20.5x8.00-10	E	20.4	8.0	6.00	90	1535



Part #	Size	Load Range	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
7813C (175/80D13)	B78-13	C	24.2	6.9	5.00	50	1360
185D13D (185/80D13)	C78-13	D	24.4	7.2	5.00	50	1480
7814F (205/75D14)	F78-14	C	26.6	7.9	5.50	50	1760
7814G (215/75D14)	G78-14	C	27.2	8.2	5.50	50	1870
7815F (205/75D15)	F78-15	C	27.6	7.4	5.50	50	1820
7815HD (225/75D15D)	H78-15	D	28.6	8.5	6.0	65	2540



LPT/SPECIAL TRAILER

LPT / SPECIAL TRAILER TIRE - BLACK SIDEWALL


Part #	Size	Load Range	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
7145D	7-14.5LT	D	26.6	7.5	6.00	70	1870
8145LT	8-14.5LT	F	28.0	8.1	6.00	100	2790
8145G	8-14.5LT	G	28.0	8.1	6.00	100	3000
9145F	9-14.5LT	F	28.0	9.7	7.00	100	3305



LIGHT TRUCK *RIB TREAD DESIGN

LIGHT TRUCK BIAS PLY TIRES - BLACK SIDEWALL

Part #	Size	Load Range	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
7015E	7.00-15LT	E	29.8	8.2	5.50	75	2376
75016E	7.50-16LT	E	31.9	9.0	6.00	75	2780
875165E	8.75-16.5LT	E	29.7	8.7	6.75	75	2680
950165E	9.50-16.5LT	E	30.7	9.6	6.75	75	3170
12165F	12-16.5LT	F	31.6	12.1	9.75	75	4045



INNER TUBES - SIZES 4 TO 12 INCHES

Part#	Size	Valve	Part#	Size	Valve
2804T	2.80/2.50-4	JS87	4808T	4.80/4.00-8	TR13
4104T	4.10/3.50-4	TR87	5708T	5.70/5.00-8	TR13
3405T	3.40/3.00-5	TR87	1658T	16x6.50/7.50-8	TR13
4105T	4.10/3.50-5	TR87	1888T	18x8.50/9.50-8	TR6
4106T	4.10/3.50-6	TR87	6909T	6.90/6.00-9	JS2
1356T	13x5.00-6	TR87	2010T	20.5x800-10	TR13
1366T	13x6.50-6	TR87	4812T	4.80/4.00-12	TR13
1566T	15x6.00-6	TR13	5312T	5.30/4.50-12	TR13
5306T	5.30/4.50-6	TR13	23812T	23x8.50/10.50-12	TR13

RADIAL TRAILER TIRES • LAWN & GARDEN / UTILITY TIRES

GOODYEAR RADIAL TRAILER SERVICE TIRES

KENDA



Part #	Size	Load Range	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
145R12E*	ST145/95R12	E	21.26	5.66	4.0	80	690
175R13C*	ST175/80R13	C	24.02	6.97	5.0	50	1360
185R13C*	ST185/80R13	C	24.60	7.20	5.0	50	1480
205R14C*	ST205/75R14	C	26.14	7.99	5.5	50	1760
215R14C*	ST215/75R14	C	26.69	8.50	6.0	50	1870
205R15C*	ST205/75R15	C	27.13	7.99	5.5	50	1820
225R15C*	ST225/75R15	C	28.31	8.78	6.0	50	2150
225R15D*	ST225/75R15	D	28.31	8.78	6.0	65	2540
235R16D*	ST235/80R16	D	30.80	9.30	6.5	65	3000
235R16E*	ST235/80R16	E	30.80	9.30	6.5	65	3040

* Value-priced manufacturer also available - Add I to part number for value-priced manufacturer

LIGHT TRUCK RADIAL TIRES



235R15C	LT235/75R15	C	28.70	9.10	6.0	50	1985
225R16E	LT225/75R16	E	29.20	8.80	6.0	80	2680
235R16E*	LT235/85R16	E	31.70	9.30	6/7	80	3085
235R16F **	LT235/85R16	F	31.70	9.30	6/7	80	3960
245R16E **	LT245/75R16	E	31.70	9.80	6/7	80	3042
215R17.5H **	LT215/75R17.5	H	30.05	8.80	6.75	125	4805

* Value-priced manufacturer also available - Add I to part number for value-priced manufacturer

**HD Import Radial Tire

LAWN & GARDEN / UTILITY TIRES

SAWTOOTH



Part #	Size	Ply	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
4104BSW	4.10/3.50-4	4	10.4	3.8	3.25	30	352
4105ASW	4.10/3.50-5	2	11.8	3.9	3.25	30	230
4106BSW	4.10/3.50-6	4	12.7	4.0	3.25	50	440

STUD TREAD



Part #	Size	Ply	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
4104BST	4.10/3.50-4	4	10.7	3.8	3.25	30	230
4105BST	4.10/3.50-5	4	11.8	3.9	3.25	30	380
4106BST	4.10/3.50-6	4	12.4	4.0	3.25	30	445
4808BST	4.80/4.00-8	4	16.5	4.6	3.75	50	670

RIB TREAD TUBELESS



Part #	Size	Ply	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
4006ARB	400x6	2	11.5	4.1	2.50	30	250
1356BRB	13x5.00-6	4	12.4	4.6	3.50	20	295
1366BRB	13x6.50-6	4	12.8	5.9	4.50	28	308
1566ARB	15x6.00-6	2	14.4	6.0	4.50	14	365
1566BRB	15x6.00-6	4	14.4	6.0	4.50	30	570
4808BRB	480/400-8	4	16.5	4.7	3.75	60	590
1658BRB	16x6.50-8	4	16.2	6.7	5.38	14	620
1858BRB	18x8.50-8	4	17.7	8.4	7.00	22	815
1898BRB	18x9.50-8	4	18.5	9.4	7.00	24	1040
20110BMR	20x10.00-10	4	19.6	9.6	8.00	30	1250

LAWN & GARDEN / EQUIPMENT / UTILITY TIRES • GOLF TIRES

TURF TREADS - TUBELESS

CARLISLE KENDA



Part #	Size	Ply	Overall Diameter	Section Width	Rim Width	PSI	Max Load (lbs.)
SMOOTHIE (SM)							
1356BTS	13x5.00-6	4	13.1	4.4	3.50	40	440
1366BTS	13x6.50-6	4	12.8	6.3	4.50	28	460
1566BTS	15x6.00-6	2	14.4	6.1	4.50	14	365
TURFTRAC (TT)							
1658BTS	16x6.50-8	4	16.4	6.4	5.38	28	380
1858BTS	18x8.50-8	4	17.8	8.4	7.00	22	620
1858BTT	18x8.50-8	4	17.7	8.1	7.00	22	815
1898BSM	18x9.50-8	4	18.5	9.1	5.38	24	815
TURFSAVER (TS)							
1898BTS	18x9.50-8	4	18.1	9.1	8.00	24	1040
19088ATW	19x8.00-8	2	19.0	7.1	6.00	5	200
TURFMATE (TM)							
20108BTS	20x10.00-8	4	20.2	9.3	8.00	24	1040
2010BTS	20x8.00-10	4	20.4	7.7	6.00	24	1190
20110ATS	20x10.00-10	2	20.2	9.3	8.00	12	895
20110BTT	20x10.00-10	4	19.6	9.3	8.00	22	1160
20110BTS	20x10.00-10	4	20.8	9.3	8.00	24	595
20708ATW	20x7.00-8	2	19.4	6.8	5.38	4	157
2110BTS	21x8.00-10	4	22.6	8.8	7.00	10	1225
ULTRATRAC (UT)							
23812BTS	23x8.50-12	4	22.6	8.8	7.00	24	750
23112BTS	23x10.50-12	4	22.6	10.3	8.50	20	1440
23812BTC	23x8.50-12	4	23.3	8.8	7.00	22	1340
248512BTS	24x8.50-12	4	23.6	10.5	8.50	10	1115
TURFCHIEF (TC)							
24112CUT	24x13.00-12	6	22.7	13.0	10.50	28	890
TRAILWOLF (TW)							
25112ATW	25x10.00-12	2	25.7	9.1	8.00	7	455
25812ATW	25x8.00-12	2	25.3	7.5	6.50	7	340
26112BUT	26.5x14.00-12	4	26.5	14.4	11.00	18	2240
27815BTS	27x8.50-15	4	27.0	8.8	7.00	24	750
29115CUT	29x14.00-15	6	29.0	14.0	10.5	30	1710

POPULAR GOLF CART TIRES, WHEELS AND MOUNTED ASSEMBLIES

CARLISLE KENDA



TURFSAVER TREAD



SAWTOOTH TREAD

MUD TREAD

WHEELS

TUBES

Part #	Size	Description	Ply	PSI
1858BTS	18x8.50-8	Turfsaver Tire	4	22
1858BTS-4	18x8.50-8	Turfsaver Tire on 4 Hole White Wheel		
1858BSWG	18x8.50-8	Sawtooth Tire	4	22
1858BSWG-4	18x8.50-8	Sawtooth Tire on 4 Hole White Wheel		
1858BSWG-4A	18x8.50-8	Sawtooth Tire on 4 Hole Almond Wheel		
1858BSWG-4S	18x8.50-8	Sawtooth Tire on 4 Hole Silver Wheel		
22118AMUD-4	22x11.00-8	Knobby-Mud Tire on 4 Hole White Wheel	2	
FDC-8X	8 x 7	4 Hole White Wheel		
FDC-8A	8 x 7	4 Hole Almond (Beige) Wheel		
FDC-8S	8 x 7	4 Hole Silver Wheel		
1888T	Tube	Fits 18x8.50-8 & 18x9.50-8 Tires		



TRAILER WHEELS

**Need it mounted and ready to roll?
All Combinations of Tire & Wheel Assemblies are Available**



O.E.M. SINGLE WHEELS

The O.E.M. design wheels have been the standard wheels used on trailers for many years.



Part#	Size	Cap.	Bolt	Pilot	Offset
13-DM-5	13 x 4.5	1360	5 on 4.5	2.62	.50 IN
14-DM-5	14 x 5.5	1870	5 on 4.5	2.62	.50 IN
17-283	14.5 x 6.0	2600	6 on 5.5	3.65	.65 OUT
17-370	14.5 x 7.0	3100	8 on 6.5	4.75	
17-117	15 x 6	1680	5 on 4.5	2.62	.50 IN
17-118	15 x 6	2600	6 on 5.5	3.65	0
17-235	16 x 6	3040	6 on 5.5	3.65	0
17-153	16 x 6	3500	8 on 6.5	4.89	.50 IN
17-236	16.5 x 6.75	3030	6 on 5.5	3.65	0
17-154	16.5 x 6.75	3500	8 on 6.5	4.89	.50 IN
17-215	16.5 x 9.75	4000	8 on 6.5	4.78	.30 OUT
17-241	17.5 x 6.75	4800	8 on 6.5	4.75	.31 OUT

O.E.M. DUAL WHEELS AND RIMS



Part#	Size	Cap.	Bolt Circle	Pilot Dia.	Offset
17-186	14.5 X 7	3000	8 on 6.5	4.75	5.65 OUT
17-279 (5/8" STUDS)	16 X 6	3500	8 on 6.5	4.75	5.50 OUT
17-157 (FLAT)	16.5 X 6.75	3000	8 on 6.5	4.75	5.50 OUT
X45236 (COINED)	16.5 X 6.75	3000	8 on 6.5	4.75	5.50 OUT
X4331 (HUB)	17.5 X 6.75	5355	8 on 275mm	8.75	5.60 OUT
X4850	17.5 X 6.75	5070	10 on 8.75	6.50	6.19 OUT
X4931-2* (STUD)	22.5 X 8.25	7300	10 on 11.25"	8.718	6.625 OUT
X4935-2* (STUD)	24.5 X 8.25	7300	10 on 11.25"	8.718	6.625 OUT
X4931-10* (HUB)	22.5 x 8.25	7300	10 on 285.75mm	220mm	6.625 OUT
X4935-10* (HUB)	24.5 x 8.25	7300	10 on 285.75mm	220mm	6.625 OUT
6515TPY	15 X 6.50	4290	RIM	N/A	N/A
675175W	17.5 X 6.75	4805	RIM	N/A	N/A
825225*	22.5 X 8.25	7300	RIM	N/A	N/A
825245*	24.5 X 8.25	7300	RIM	N/A	N/A

*Note - Add G to this part number for Gray Powder Coat
Add W to this part number for White Powder Coat

R.V. WHEELS *Previously Discontinued - Now Available Again!*

The unique design of the "494" wheel was widely used throughout the R.V. industry for many years. They are once again available. Those who need such a wheel can also opt to update the hub (or hub/drum) to accept a standard bolt pattern wheel. **Call RH Scales Co. - WE CAN HELP!**



Part#	Size	Cap.	Bolt Circle	Pilot Dia.	Offset
17-29	13 X 4.5	1315	4 on 9.44	SILVER	.50 IN
17-119	14 X 5.5	1860	4 on 9.44	SILVER	.50 IN
17-121	15 X 6	2330	4 on 9.44	SILVER	.50 IN

TRAILER WHEELS

CONVENTIONAL HIGHWAY TRAILER WHEELS



Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
8-DM	8 x 3.75	White	4 ON 4	4.7	900
8-DM-5	8 x 3.75	White	5 ON 4.50	4.7	900
G8-DM	8 x 3.75	Galvanized	4 ON 4	4.7	900
G8-DM-5	8 x 3.75	Galvanized	5 ON 4.50	4.7	900
FDC-8	8 x 5 3/8	White	4 ON 4	5.5	900
FDC-8-5	8 x 5 3/8	White	5 ON 4.50	5.5	900
GFDC-8	8 x 5 3/8	Galvanized	4 ON 4	5.5	900
GFDC-8-5	8 x 5 3/8	Galvanized	5 ON 4.50	5.5	900
FDC-8X	8 x 7	White	4 ON 4	6.5	900
FDC-8X-5	8 x 7	White	5 ON 4.50	6.5	900
GFDC-8X	8 x 7	Galvanized	4 ON 4	6.5	900
GFDC-8X-5	8 x 7	Galvanized	5 ON 4.50	6.5	900
9-DM	9 x 4	White	4 ON 4	7.5	900
9-DM-5	9 x 4	White	5 ON 4.50	7.5	900
10-DM	10 x 6	White	4 ON 4	10.0	1200
10-DM-5	10 x 6	White	5 ON 4.50	10.0	2000
10-DM-55	10 x 6	White	5 ON 5.50	10.0	2000
G10-DM	10 x 6	Galvanized	4 ON 4	10.0	1200
G10-DM-5	10 x 6	Galvanized	5 ON 4.50	10.0	2000
17-32	14.5 x 6	Painted Steel	OPEN RIM	13.8	3000
17-48	14.5 x 7	Painted Steel	OPEN RIM	15.0	3230

WHITE SPOKE TRAILER WHEELS



WHITE SPOKE

Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
12-DM-4W	12 x 4	White	4 ON 4	11.1	1100
12-DM-5W	12 x 4	White	5 ON 4.50	11.1	1100
13-DM-4W	13 x 4.5	White	4 ON 4	13.3	1100
13-DM-5W	13 x 4.5	White	5 ON 4.50	13.3	1360
14-DM-5W	14 x 5	White	5 ON 4.50	17.4	1880
15-DM-5W	15 x 5	White	5 ON 4.50	20.2	2050
15-DM-5.0W	15 x 6	White	5 ON 5.00	20.2	2600
15-DM-5.5W	15 x 6	White	5 ON 5.50	20.2	2600
15-DM-6W	15 x 6	White	6 ON 5.50	20.2	2600
16-DM-6W	16 x 7	White	6 ON 5.50	22.4	2800
16-DM-8W	16 x 7	White	8 ON 6.50	22.4	2800
165-DM-6W	16.5 x 6.75	White	6 ON 5.50	23.5	3000
165-DM-8W	16.5 x 6.75	White	8 ON 6.50	23.5	3530

CHROME / SILVER SPOKE TRAILER WHEELS



CHROME SPOKE

Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
14-DM-5C	14 x 6	Chrome	5 ON 4.50	17.4	1880
15-DM-5CS	15 x 6	Chrome	5 ON 4.50	20.2	2050
15-DM-5SS	15 x 6	Silver Paint	5 ON 4.50	20.2	2600
15-DM-6CS	15 x 6	Chrome	6 ON 5.50	20.2	2600
16-DM-6CS	16 x 7	Chrome	6 ON 5.50	22.4	2800
165-DM-6CS	16.5 x 6.75	Chrome	6 ON 5.50	23.5	3000
165-DM-8CS	16.5 x 6.75	Chrome	8 ON 6.50	23.5	3530

**Need it mounted and ready to roll?
All Combinations of Tire & Wheel Assemblies are Available**



TRAILER WHEELS

GALVANIZED SPOKE TRAILER WHEELS



GALVANIZED

Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
G12-DM	12 x 4	Galvanized	4 ON 4	11.1	1100
G12-DM-5	12 x 4	Galvanized	5 ON 4.50	11.1	1100
G13-DM	13 x 4.5	Galvanized	4 ON 4	13.3	1100
G13-DM-5	13 x 4.5	Galvanized	5 ON 4.50	13.3	1360
G14-DM-5	14 x 6	Galvanized	5 ON 4.50	17.4	1880
G15-DM-5	15 x 6	Galvanized	5 ON 4.50	20.2	2050
G15-DM-6	15 x 6	Galvanized	6 ON 5.50	20.2	2600
G16-DM-6	16 x 7	Galvanized	6 ON 5.50	22.4	2800
G16-DM-8	16 x 7	Galvanized	8 ON 6.50	22.4	2800
G165-DM-6	16.5 x 6.75	Galvanized	6 ON 5.50	23.5	3000
G165-DM-8	16.5 x 6.75	Galvanized	8 ON 6.50	23.5	3530

WHITE MODULAR TRAILER WHEELS



WHITE MOD

Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
12-DM-5M	12 x 4	White	5 on 4.50	11.1	1100
13-DM-5M	13x4.5	White	5 on 4.50	13.4	1360
14-DM-5M	14x5	White	5 on 4.50	17.5	1900
15-DM-5M	15x5	White	5 on 4.50	20.3	2600
15-DM-6M	15x6	White	6 on 5.50	20.3	2600
16-DM-6M	16x7	White	6 on 5.50	22.4	2800
16-DM-8M	16x7	White	8 on 6.50	22.5	2800

CHROME / SILVER MODULAR TRAILER WHEELS



CHROME MOD

Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
13-DM-5CM	13x4.5	Chrome	5 on 4.50	13.4	1360
14-DM-5CM	14x6	Chrome	5 on 4.50	17.5	1900
14-DM-5SM	14x6	Silver Paint	5 on 4.50	17.5	1900
15-DM-5CM	15x6	Chrome	5 on 4.50	20.3	2600
15-DM-5SM	15x6	Silver Paint	5 on 4.50	20.3	2600
15-DM-6CM	15x6	Chrome	6 on 5.50	20.3	2600
15-DM-6SM	15x6	Silver Paint	6 on 5.50	20.3	2600
16-DM-6CM	16x7	Chrome	6 on 5.50	22.4	2800
16-DM-6SM	16x7	Silver Paint	6 on 5.50	22.4	2800
16-DM-8SM	16x7	Silver Paint	8 on 6.50	22.5	2800



SILVER MOD

GALVANIZED MODULAR TRAILER WHEELS



GALVANIZED MOD

Part#	Size	Finish	Bolt Circle	Weight	Max. Cap.
G13-DM-5M	13x4.5	Galvanized	5 on 4.50	13.4	1360
G14-DM-5M	14x6	Galvanized	5 on 4.50	17.5	1900
G15-DM-5M	15x6	Galvanized	5 on 4.50	20.3	2600
G15-DM-6M	15x6	Galvanized	6 on 5.50	20.3	2600
G16-DM-6M	16x7	Galvanized	6 on 5.50	22.4	2800
G16-DM-8M	16x7	Galvanized	8 on 6.50	22.5	2800
G165-DM-6M	16.5x6.75	Galvanized	6 on 5.50	24.6	3530
G165-DM-8M	16.5x6.75	Galvanized	8 on 6.50	24.6	3530

TRAILER WHEELS • HUB COVERS • INTEGRAL HUBS



ALUMINUM STYLED TRAILER WHEELS


Part#	Size	Style / Finish	Bolt Circle	Max Cap (lbs.)
13-DM-5AS	13 X 4.5	StarMag / Smooth	5 on 4.50	1350
14-DM-5AM	14 x 6	Modular / Smooth	5 on 4.50	1900
14-DM-5AS	14 x 6	StarMag Smooth	5 on 4.50	2150
15-DM-5AM	15 x 6	Modular / Smooth	5 on 4.50	2150
15-DM-5AS	15 x 6	StarMag / Smooth	6 on 5.50	2830
15-DM-6AM	15 x 6	Modular / Smooth	6 on 5.50	2830
15-DM-6AS	15 x 6	StarMag Smooth	6 on 5.50	2830
16-DM-6AM	16 x 7	Modular / Smooth	6 on 5.50	3100
16-DM-8AM	16 x 7	Modular / Smooth	8 on 6.50	3200



ABS & STAINLESS STEEL TRAILER HUB COVERS

Heavy Duty Construction to dress up your trailer. Specially formulated to endure extreme temperatures. High quality finish. Sold Individually. Styles may vary.

PART NO.	DESCRIPTION
QT545CHS	CHROME ABS HUBCOVER 5LUG ON 4.5 BC - 3" High
QT545CHN	TALL CHROME ABS HUBCOVER 5LUG ON 4.5 BC - 4.5" High
QT655CHN	CHROME ABS HUBCOVER 6LUG ON 5.5 BC
QT765CHN	CHROME ABS HUBCOVER 8LUG ON 6.5 BC (1/2" studs)
QT865CHN	CHROME ABS HUBCOVER 8LUG ON 6.5 BC (9/16" studs)
90175	3.20" "PUSH-THRU" SS CAP W/POP-OFF PLUG FOR 5LUG ON 4.5" BC
90077	4.25" "PUSH-THRU" SS CAP W/POP-OFF PLUG FOR 6LUG WHEEL
90078	5.15" "PUSH-THRU" SS CAP W/POP-OFF PLUG FOR 8LUG WHEEL
90080	5.15" "PUSH-THRU" SS CLOSED END CAP FOR 8LUG WHEEL
90156C	4.90" "PUSH-THRU" SS CAP W/POP-OFF PLUG FOR 8LUG WHEEL



FIXED HUB INTEGRAL TRAILER RIMS - HIGH SPEED

Part No.	Tire size	Description	Back to Back Race Dimension
8DC-75	4.80/4.00x8	dropcenter wheel only complete with 3/4" high speed bearings (L11949)	2 1/16"
8DC-100	4.80/4.00x8	Widebase dropcenter wheel only complete with 1" high speed bearings (L44643)	2 7/16"

Part No.	Tire size	Description	Bearing to bearing
48DCL-3	480/400x8	8" dropcenter wheel only (narrow base) w/ 3/4" powder bushings	3 3/16"
48DCL	480/400x8	8" dropcenter wheel only (wide base) w/ 5/8" powder bushings	3 3/16"

Shown with tire (order separately)

FULL-PNEUMATIC, HEAVY DUTY CASTERS



WHEEL				CASTER NUMBER				APP.
TREAD				LOAD	SWIVEL			WEIGHT
DIA.	WIDTH	BEARING	CAPACITY	HEIGHT	RADIUS	SWIVEL	RIGID	LBS.
8"	2.80/4"	Ball	310	9 1/2	6 1/8	1419-10	1419-10R	8
						(3.5" x 3.0" Bolt Pattern)		

HEAVY DUTY SOLID CASTERS



TOP PLATE SIZE				BOLT HOLE CENTERS				ATTACHING BOLT SIZE	
4" x 4 1/2"				2 5/8" x 3 5/8" to 3" x 3"				3/8"	
WHEEL				LOAD	SWIVEL			WEIGHT	
DIA.	WIDTH	TYPE	BEARING	CAPACITY	HEIGHT	RADIUS	CASTER NUMBER	LBS.	
4"	2"	Mold on Rubber	Roller	400	5 5/8"	3 9/16"	1418-4	7 1/2	