


CARGO MANAGEMENT / CARGO CONTROL



RECESSED & SURFACE MOUNT ROPE RINGS



PART NO.	DESCRIPTION	WORK LOAD	BREAK STRENGTH
B601U	Recessed Rope Ring, Zinc Plated Requires 3" dia. mounting hole in 3/8" material. Do not use for lifting	285 lbs.	850 lbs.
B7622BP	Back support plate for B601U		
B701	Recessed Rope Ring, Zinc Plated Requires 3" dia. mounting hole in 1/4" material. Do not use for lifting	265 lbs.	800 lbs.
B701SM	Surface Mounted Rope Ring Zinc Plated. 1/4" diameter ring. Do not use for lifting	265 lbs.	800 lbs.
B801A	Heavy-Duty Recessed Rope Ring Formed 1/8" steel pan houses ductile iron ring. 3-5/8" dia. hole with 7/8" clearance below surface required	2000 lbs.	6000 lbs.
B801BP	Back support plate for B801A		
B901	Heavy-Duty Recessed Rotating Rope Ring Fabricated recessed ring rotates 360° Bolt to floor or weld to steel cross members.	2000 lbs.	6000 lbs.



LASHING RINGS



PART NO.	DESCRIPTION	WORK LOAD	BREAK STRENGTH
B20	Rope ring, with bolt on bracket 1/4" diameter, zinc plated	800 lbs.	2,400 lbs.
B7622BP	Back support plate for B20		
B38	Forged steel ring, with bolt on bracket 1/2" diameter, Bracket is 1 5/8" wide and 3/16" thick with square mounting holes to accept 3/8" carriage bolts. Holes are 2" on center.	4,080 lbs.	11,781 lbs.
B28F	Forged steel ring, with weld on bracket 1/4" diameter.	2,000 lbs.	6,000 lbs.
B40	Forged steel ring, with weld on bracket 5/8" diameter. 3" x 3" ring diameter	6,130 lbs.	18,390 lbs.
B46	Forged steel ring, with weld on bracket 3/4" diameter. 3" x 3" ring diameter	9,120 lbs.	26,500 lbs.
B48	Forged steel ring, with weld on bracket 1" diameter. 3" x 3" ring diameter	15,586 lbs.	46,760 lbs.
B50	Forged steel ring, with weld on bracket 1" diameter. 4" x 3" ring diameter	15,586 lbs.	46,760 lbs.

EYE BOLTS

Standard shoulder pattern drop forged, heat treated eye bolt.



PART NO.	SAFE LOAD*	ULT. LOAD*	THREAD STOCK	SHANK EYE
B56722	.5	2.0	5/16-18	7/8"
B56723	.7	3.0	3/8-16	1"
B56724	1.0	3.9	7/16-14	1 1/16"
B56725	1.3	5.0	1/2 - 13	1 3/16"
B56727	2.0	8.0	5/8 - 11	1 3/8"

*In ton of 2000 lbs.
All dimensions shown are nominal.



LIGHT DUTY TOW HOOKS

Universal pattern, drop forged steel, chrome plated or black enameled.
Maximum safe working load 10,000 lbs.



PART NO.	DESCRIPTION	WT./PAIR
B2799BKT	Black Hook w/safety clip & bolt kit	3.7 lbs.
B2799CKT	Chrome Hook w/safety clip & bolt kit	3.7 lbs.

CARGO MANAGEMENT / CARGO CONTROL



ANCHORS AND TIE-OFF RINGS

ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
59113	Surface Mount Anchor Ring	2000 lbs.	Bulk (each)
09114	Recessed Anchor Ring	5000 lbs.	1-Pack
09128	Recessed Anchor Ring	1200 lbs.	1-Pack
09099	Moveable Anchor Rubber Coated - Slide along rail		2-Pack
915500	Removable Anchor	5000 lbs.	2-Pack
59093	Removable Anchor	5000 lbs.	Bulk (each)
01005	Chrome Upper Rubber Base Block		2-Pack
01011	Chrome Upper With Toggle		2-Pack
59170	Wire Flip Ring Anchor	5000 lbs.	2-Pack
09085	Combination Rope & Hook Anchor	2000 lbs.	2-Pack
09089	Stainless Steel Pop-Up Anchor		2-Pack




TIE-DOWN STRAPS MULTI-SERIES 4-PACKS



ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
05606	Combo-Pack (2) 1" x 10' Ratchets (2) 1" x 6' Cam Straps		Clam Pack
01415	4 Rubber Handle Ratchets (4) 1" x 10'	1200 lbs.	Clam Pack
01418	4 Ratcheting Tie-Downs (4) 1" x 10'	900 lbs.	Clam Pack
05605	4 Cam Buckle Tie-Downs (4) 1" x 5-1/2'	900 lbs.	Clam Pack
01017	Pickup Truck Tie-Down Kit (4) Chrome Toggle Pocket Anchors (2) 1" x 10' Ratchet Straps	500 lbs.	Clam Pack



PROFESSIONAL SERIES TIE-DOWN & TOW STRAPS



ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
34406	Over-Center Buckle Straps (2) 1" x 6' Straps w/Hooks Buckles lock tight	1200 lbs.	Display Pack
34405	Tow Strap 2" x 15' w/Forged Hooks	8500 lbs.	Display Pack
31418	(4) 1" x 15' Ratcheting Tie-Downs Yellow Chromate Plated Ratchets	1200 lbs.	Display Pack
34401	(2) 1" x 15' Ratcheting Tie-Downs Yellow Chromate Plated Ratchets	1200 lbs.	Display Pack
34400	(2) 1" x 15' Ratcheting Tie-Downs Moulded Rubber Handles	1200 lbs.	Display Pack
34404	(2) 1" x 15' Ratcheting Tie-Downs Wide Handle Moulded Rubber Handles	2000 lbs.	Display Pack
34411	(4) 1-1/4" x 12' Ratcheting Tie-Downs Long Handle Moulded Rubber Handles	2500 lbs.	Display Pack
34412	(2) 1-1/4" x 12' Ratcheting Tie-Downs Long Handle Moulded Rubber Handles	2500 lbs.	Display Pack
34403	(2) 1" x 6' Cam Lock Tie-Downs	1200 lbs.	Display Pack
34409	(2) 2" x 8' Cam Lock Tie-Downs w/Vinyl-Coated Hooks	2200 lbs.	Display Pack
34410	(2) 2" x 10' Ratcheting Tie-Downs w/Moulded Rubber Handles	4000 lbs.	Display Pack




RE-TRACTABLE RATCHETING TIE-DOWN STRAPS

ERICKSON

Erickson's new patented design is the next step up in the Tie-Down industry. The Re-tractable's are so simple to operate – simply pull the web out to the desired length and start ratcheting until tight. To release, simply push down on the RED release button. The web not being used is stored in the centre housing so you have no web blowing in the wind. This feature also keeps the straps clean and free from oil and dirt.

PART NO.	DESCRIPTION	RATING	PACKAGE
34413	(2) 1" x 6' Ratchet Straps	1500 lbs.	Display Pack
34414	(2) 2" x 6' Ratchet Straps	4000 lbs.	Display Pack
34415	(1) 1" x 10' Ratchet Strap	1500 lbs.	Display Pack
31302	(2) 1" x 10' Ratchet Straps Bolt-On Design	1500 lbs.	Display Pack
31303	(1) 1" x 10' Ratchet Strap Bolt-On Design	1500 lbs.	Display Pack
31319	(1) 2" x 4' Ratchet Strap Bolt-On Design	3000 lbs.	Display Pack
1496505	(4 Pack) Ratchet Strap Kit Ideal to Hold Down Spreaders	1-3/4" x 5'	Bulk Pack



LIGHT-DUTY STRAPS MOTORCYCLE / ATV TIE-DOWNS

ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
51100	(1) 1" x 10' Cam Strap	300 lbs.	Bulk
05729	(2) 1" x 6' Soft Tie Cam Straps	1200 lbs.	2 Pack Bulk
05735	(2) 1-1/2" x 6' Ratchet Straps	3000 lbs.	2 Pack Bulk
05742	(2) 1" x 6' Ratchet Straps Includes Assist Straps	2000 lbs.	2 Pack Bulk
05740	(4 Pack) 1" x 6' Sportsman Center Lock Buckle Straps	2000 lbs.	Clam Pack
51400	(1) 1" x 15' Ratchet Strap	500 lbs.	Bulk
01215	(1) 2" x 15' Cam Buckle Strap	1200 lbs.	Bulk



FLAT HOOK / J-HOOK RATCHET STRAPS

Buyers
ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
02300	(1) 2" x 15' Double J-Hook Ratchet	5000 lbs.	Bulk
58500	(1) 2" x 30' Flat Hook Ratchet Long Wide Handle	10,000 lbs.	Bulk
01055	(1) 2" x 27' Flat Hook Ratchet Long Wide Handle	10,000 lbs.	Bulk
78627	(1) 2" x 27' Double J- Hook Ratchet Long Wide Handle	10,000 lbs.	Bulk
58514	(1) 3" x 30' Flat Hook Ratchet 5000 lbs. WWL	15,000 lbs.	Bulk
58515	(1) 3" x 30' Double J- Hook Ratchet 5000 lbs. WWL	15,000 lbs.	Bulk



CARGO BARS

ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
08907	(1) Lever Action Bar 60"-75"	Industrial	Bulk
08906	(1) Lever Action Bar 88"-103"	Industrial	Bulk
08908	(1) Ratcheting Cargo Bar 40"-70"		Display


CARGO CONTROL / SPARE TIRE CARRIERS




AUTOMOTIVE TIE-DOWN AND TOW STRAPS

ERICKSON

PART NO.	DESCRIPTION	RATING	PACKAGE
08503	(1) 2" x 7' Flat Hook Car Tie-Down	5000 lbs.	1-Pack
08519	(1) 2" x 7' Snap Hook Car Tie-Down	5000 lbs.	1-Pack
08506	(1) 2" x 24" Axle Strap	5000 lbs.	1-Pack
58506	(1) 2" x 24" Axle Strap	5000 lbs.	Bulk
51002	(1) 2" x 15' Tow Strap	5000 lbs.	Bulk
59200	(1) 2" x 15' Tow Strap	8500 lbs.	Bulk
09301	(1) 2" x 20' Tow Strap with Forged Safety Snap Hooks	10,000 lbs.	1-Pack
09510	(1) Black Tow Hook	10,000 lbs.	Clam
09600	(1) 2" x 30' Recovery Strap	18,000 lbs.	Clam
59700	(1) 3" x 20' Recovery Strap	27,000 lbs.	Bulk



Short handle ratchet with snap hook allows tightening in cramped quarters.



ADJUSTABLE TIRE STRAPS

ERICKSON


1. Ratchet with safety snap hook makes operation easy in close quarters.
2. 2-inch cam buckle allows webbing to be shortened or lengthened. This feature ensures the strap is in the correct location on large or small tires.
3. Heavy 3-inch wide web over the top of the tire from one side to the other. The quality construction makes vehicle hauling safe and secure.

PART NO.	DESCRIPTION	PACKAGE
08522	Standard Tie-Down Kit	1-Pack
58522	Standard Tie-Down Kit	Bulk

LADDER RACK RATCHET TIE-DOWNS

Buyers
PRODUCTS COMPANY

PART NO.	DESCRIPTION
5480005	1-1/2" x 7 ft. Ratchet Tie-Down, Angle Mount (pair) Fits racks with square and rectangular tubing Double "J" Hooks, 500 lb. WWL
5480007	1-1/2" x 7 ft. Ratchet Tie-Down, Tube Mount (pair) Fits racks ladders racks with popular 1-7/8" - 2" OD round tubing Double "J" Hooks, 500 lb. WWL



TRUCK & TRAILER WINCHES AND STRAPS

ERICKSON **Buyers**
PRODUCTS COMPANY



PART NO.	DESCRIPTION	RATING	PACKAGE
52805	2" Mini Winch		Bulk
1903005	Standard Weld-on 4" Winch		Bulk
WS20	2" x 20' Winch Strap w/ Hook	5000 lbs.	Bulk
1903085	4" x 30' Winch Strap w/Flat Hook	15,000 lbs.	Bulk
1903060	35" Standard Steel Winch Bar		Bulk

SPARE TIRE CARRIERS

FULTON



PART NO.	DESCRIPTION	RATING	PACKAGE
ETC0101	Economy Spare Tire Carrier, fits 3" wide trailer frame, fits 4 or 5 lug wheels		Retail
STC0100	Side Offset Mount Spare Tire Carrier, fits 3" or 4" wide trailer frame, fits 4 or 5 lug wheels		Retail
HDSTC0100	Heavy-Duty Steel Tube Side Offset Mount Carrier fits 3" to 5" wide trailer frame, fits 4 or 5 lug wheels		Retail

CARGO MANAGEMENT / LOAD BINDERS & CHAINS



DOUBLE SWIVEL



RATCHET STYLE



SCC QUIKBINDER

LOAD BINDERS



SECURITY CHAIN COMPANY

PART NO.	DESCRIPTION	FOR CHAIN SIZES	LOAD LIMIT	TAKE UP	HANDLE LENGTH
H5023-4052	Double Swivel	1/4" (S4)	2,600 lbs.	3.00"	11.42"
LB5638	Double Swivel	5/16" (S7) • 3/8" (S4)	5,400 lbs.	3.75"	15.43"
H5023-4252	Double Swivel	3/8" (S7) • 1/2" (S4)	9,200 lbs.	4.25"	17.24"
H5123-4152	Ratchet Style	5/16" (S7) • 3/8" (S4)	5,400 lbs.	6.50"	13.92"
RLB3812	Ratchet Style	3/8" (S7) • 1/2" (S4)	9,200 lbs.	6.50"	13.92"
H5123-4452	Ratchet Style	1/2" (S7) • 5/8" (S4)	13,000 lbs.	6.50"	13.92"
H5125-0658	SCC QuikBinder™	5/16" (S7) • 3/8" (S4)	7,100 lbs.	8.00"	9.50"
H5125-0858	SCC QuikBinder™	3/8" (S7) • 1/2" (S4)	12,000 lbs.	8.00"	9.50"


SYSTEM 7 TRANSPORT LOAD BINDER CHAIN ASSEMBLIES



SECURITY CHAIN COMPANY




PART NO.	DESCRIPTION	CHAIN SIZE	LOAD LIMIT	ASSEMBLY LENGTH
H3226-5120	S7 Assembly w/Clevis Grab Hooks	5/16"	4,700 lbs.	16'
H3226-5220	S7 Assembly w/Clevis Grab Hooks	5/16"	4,700 lbs.	20'
H3226-5520	S7 Assembly w/Clevis Grab Hooks	3/8"	6,600 lbs.	16'
H3226-5620	S7 Assembly w/Clevis Grab Hooks	3/8"	6,600 lbs.	20'



BULK CHAIN




SECURITY CHAIN COMPANY



PART NO.	SIZE / DESCRIPTION	LOAD LIMIT	QUANTITY
H0110-0311	3/16" / System 3 Proof Coil (Pail) Bright Zinc	750 lbs.	250' per pail
H0110-0411	1/4" / System 3 Proof Coil (Pail) Bright Zinc	1,250 lbs.	141' per pail
H0110-0511	5/16" / System 3 Proof Coil (Pail) Bright Zinc	1,900 lbs.	92' per pail
H0110-0611	3/8" / System 3 Proof Coil (Pail) Bright Zinc	2,650 lbs.	63' per pail
H0107-0311	3/16" / System 3 Proof Coil (12" Reel) Bright Zinc	750 lbs.	100' per reel
H0107-0411	1/4" / System 3 Proof Coil (12" Reel) Bright Zinc	1,250 lbs.	75' per reel
H0107-0511	5/16" / System 3 Proof Coil (12" Reel) Bright Zinc	1,900 lbs.	70' per reel
H0107-0611	3/8" / System 3 Proof Coil (12" Reel) Bright Zinc	2,650 lbs.	45' per reel
H0210-0511	5/16" / System 4 High Test Chain (Pail) Bright Zinc	3,900 lbs.	100' per pail
H0210-0611	3/8" / System 4 High Test Chain (Pail) Bright Zinc	5,400 lbs.	75' per pail
H0310-0520	5/16" / System 7 Transport Chain (Pail) Yellow Zinc	4,700 lbs.	100' per pail
H0310-0620	3/8" / System 7 Transport Chain (Pail) Yellow Zinc	6,600 lbs.	75' per pail
H0807-2111	2/0" / Straight Link Coil (12" Reel) Bright Zinc	520 lbs.	125' per reel

WELD-ON GRAB HOOKS



PART NO.	SIZE / DESCRIPTION	LOAD LIMIT
B2408W375	3/8" Weld-On Grab Hook, Grade 43 Steel	5,400 lbs. Work Load
B2408W50	1/2" Weld-On Grab Hook, Grade 43 Steel	9,200 lbs. Work Load
B2409W375	3/8" Weld-On Grab Hook, Grade 70 Steel	6,600 lbs. Work Load
B2409W625	5/8" Weld-On Grab Hook, Grade 70 Steel	15,800 lbs. Work Load

CARGO MANAGEMENT / CHAIN ASSEMBLIES & HOOKS



6800032



BSC3835



7993935

Safety Hook with latch



59537

Safety Cables with S-Hooks

SCC SECURITY CHAIN COMPANY

SAFETY CHAIN & CABLE ASSEMBLIES WITH HOOKS



PART NO.	DESCRIPTION	CHAIN SIZE	LOAD LIMIT	HOOK DIA
6800032	48" Class 2 / 3 Chain Assembly (2 safety hooks)	1/4"	5,000 lbs.*	7/16"
BSC3835	35" Class 2 Assembly (single hook)	3/8"	15,000 lbs.*	3/8"
*Use (2) chains per trailer - NOT FOR LIFTING				
7993935	Class 2/3 S-Hook Only w/Safety Latch		5,000 lbs.	7/16"
59533	Class 1 2000# 36" Vinyl Jacketed Cables w/Safety Hooks, Packed 2 per display package			
59537	Class 2 3500# 36" Vinyl Jacketed Cables w/S-Hook, Packed 2 per display package			
59541	Class 3 5000# 36" Vinyl Jacketed Cables w/S-Hook, Packed 2 per display package			
59548	Class 4 7000# 36" Vinyl Jacketed Cables w/Safety Hook -Sold Individually*			
*Use (2) cables per trailer - NOT FOR LIFTING				

SYSTEM 7 CLEVIS SLIP HOOKS WITH SAFETY LATCH



SECURITY CHAIN COMPANY



PART NO.	SIZE / DESCRIPTION	LOAD LIMIT	PACKAGE
8015275	1/4" / Safety Hook w/ Latch - .79" opening	2,750 lbs.	Bulk
8015375	5/16" / Safety Hook w/ Latch - .93" opening	4,300 lbs.	Bulk
8015475	3/8" / Safety Hook w/ Latch - 1.41" opening	5,250 lbs.	Bulk
8015675	1/2" / Safety Hook w/ Latch - 1.42" opening	9,000 lbs.	Bulk



SYSTEM 4 / SYSTEM 7 HEAT TREATED CLEVIS GRAB AND SLIP HOOKS



SECURITY CHAIN COMPANY

All meet requirements for high test chain.

PART NO.	SIZE / DESCRIPTION	LOAD LIMIT	PACKAGE
8023235	1/4" / System 4 Clevis Grab Hook Bright Zinc	2,600 lbs.	Bulk
8023335	5/16" / System 4 Clevis Grab Hook Bright Zinc	3,900 lbs.	Bulk
8023435	3/8" / System 4 Clevis Grab Hook Bright Zinc	5,400 lbs.	Bulk
8023635	1/2" / System 4 Clevis Grab Hook Bright Zinc	9,800 lbs.	Bulk
8013235	1/4" / System 4 Clevis Slip Hook Bright Zinc	1,950 lbs.	Bulk
8013335	5/16" / System 4 Clevis Slip Hook Bright Zinc	2,875 lbs.	Bulk
8013435	3/8" / System 4 Clevis Slip Hook Bright Zinc	4,000 lbs.	Bulk
8022355	5/16" / System 7 Clevis Grab Hook Bright Zinc	5,400 lbs.	Bulk
8022455	3/8" / System 7 Clevis Grab Hook Bright Zinc	7,500 lbs.	Bulk

CHAIN CONNECTING LINKS



SECURITY CHAIN COMPANY



QUICK LINKS



CONNECTING LINKS



SCREW PIN ANCHOR SHACKLES

PART NO.	SIZE / DESCRIPTION	FINISH	PACKAGE
8056135	3/16" / Threaded Quick- Link	Zinc	Bulk
8056235	1/4" / Threaded Quick- Link	Zinc	Bulk
8056335	5/16" / Threaded Quick- Link	Zinc	Bulk
8056435	3/8" / Threaded Quick- Link	Zinc	Bulk
8056535	7/16" / Threaded Quick- Link	Zinc	Bulk
8056635	1/2" / Threaded Quick- Link	Zinc	Bulk
H8326-0315	3/16" / Connecting Link	Galvanized	Bulk
H8326-0415	1/4" / Connecting Link	Galvanized	Bulk
H8326-0515	5/16" / Connecting Link	Galvanized	Bulk
H8326-0615	3/8" / Connecting Link	Galvanized	Bulk
H8326-0815	1/2" / Connecting Link	Galvanized	Bulk
H8326-1015	5/8" / Connecting Link	Galvanized	Bulk
8065105	1/4" / Screw Pin Anchor Shackle - 667 lbs. Cap.	Galvanized	Bulk
8065205	5/16" / Screw Pin Anchor Shackle - 1000 lbs. Cap.	Galvanized	Bulk
8065305	3/8" / Screw Pin Anchor Shackle - 1500 lbs. Cap.	Galvanized	Bulk
8065405	7/16" / Screw Pin Anchor Shackle - 2,000 lbs. Cap.	Galvanized	Bulk
8065505	1/2" / Screw Pin Anchor Shackle - 3,000 lbs. Cap.	Galvanized	Bulk