




Note: If you are replacing an existing Torflex axle, we can find all of the axle data listed below, if you list your serial number here: _____

Axle Capacity:		<input type="checkbox"/> 1100 lb.	<input type="checkbox"/> 2200 lb.
<input type="checkbox"/> 3500 lb.	<input type="checkbox"/> 5200 lb.	<input type="checkbox"/> 7000 lb.	<input type="checkbox"/> 7200 lb.
<input type="checkbox"/> 8000 lb.	<input type="checkbox"/> 10,000 lb.	<input type="checkbox"/> Other _____	
Hub Face: _____ inches			
Outside of Frame: _____ inches			
Start Angle Degree:			
<input type="checkbox"/> 45° down	<input type="checkbox"/> 10° down	<input type="checkbox"/> 22.5° down	<input type="checkbox"/> 32° down
<input type="checkbox"/> 0°	<input type="checkbox"/> 10° up	<input type="checkbox"/> 22.5° up	
Hub:		<input type="checkbox"/> Idler	<input type="checkbox"/> Brake
If Brakes:			
<input type="checkbox"/> Electric	<input type="checkbox"/> Hydraulic Drum	<input type="checkbox"/> Hydraulic Disc	
Bolt Circle:			
<input type="checkbox"/> 4 - 4.0"	<input type="checkbox"/> 5 - 4.5"	<input type="checkbox"/> 5 - 4.75"	<input type="checkbox"/> 5 - 5.0"
<input type="checkbox"/> 5 - 5.5"	<input type="checkbox"/> 6 - 5.5"	<input type="checkbox"/> 8 - 6.5"	
Lubrication (check one):			
<input type="checkbox"/> E-Z Lube	<input type="checkbox"/> Grease	<input type="checkbox"/> Oil	<input type="checkbox"/> Nev-R-Lube
Bracket Profile		<input type="checkbox"/> Low	<input type="checkbox"/> High
Bracket Orientation:		<input type="checkbox"/> Standard	<input type="checkbox"/> Reverse
Side Mount Hanger Kit:		<input type="checkbox"/> Yes	<input type="checkbox"/> No

How To Measure



Date: _____


Customer Name: _____

Phone Number: _____

Fax Number: _____

E-Mail Address: _____

Bracket Profile



If due to a customer error...

RH Scales Company will contact the customer with a quotation to provide an axle based on the information supplied above. RH Scales Company does not accept returns of axles or beam assemblies unless a special restocking charge has been agreed upon. Specific order axles and beams are custom made. The customer is responsible for any freight costs incurred for returns.

Customer signature: _____ Date: _____